






**RADIONUCLIDES**



**VOLATILE ORGANIC COMPOUNDS**




**WELLNAME=299-E26-2 WELLID=A4803**  
 Well Type=STANDARD Well purpose=GROUNDWATER  
 Owner=DOE Contact=BHI Well Adm Compliance=NON-COMPLIANT  
 Well Construction Date=9/8/1993  
 X-coor= 575973.10 Y-coor= 136408.80 Datum=NAD83(91) Date Survey= 6/2/1994  
 Elevation= 194.007 Datum=NAVD88 Date Survey=06/02/94  
 Ref\_Point\_Desc=BRASS CAP Ref\_Point\_side=NONE Contractor=USACE(JECA)  
 Total Number of perforation Intervals=1  
 NPERF#=1 Perf\_top= 67.06 Bot= 80.77 mCas\_size= 8.00 in Perf\_cuts= 0.00 ft

LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound;  
 EPA-IGR=EPA-Implementation Guidance for Radionuclides; WAC=Washington Administrative Code;


EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag

**VOLATILE ORGANIC COMPOUNDS**



**SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE**


**METALS & PHYSICAL PARAMETERS**



LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound;  
 EPA-IGR=EPA-Implementation Guidance for Radionuclides; WAC=Washington Administrative Code;

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag

**METALS & PHYSICAL PARAMETERS**



**PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE**

**GENCHEM & ORGANICS & GENORGANICS NO DATA AVAILABLE**