




# DOE HANFORD SITE - GROUNDWATER QUALITY DATA PLOTS




wellseries-200-299 WELL#=299-W6-7



WELLNAME=299-W6-7 WELLID=A5002
Well Type=STANDARD Well purpose=GROUNDWATER
Owner=DOE Contact=BHI Well Adm Compliance=NON-COMPLIANT
X_coor=567311.30 Y_coor=137638.80 Datum=NAD83 Date Survey=10/31/1991
Elevation= 217.007 Datum=NGVD29 Date Survey=05/20/92
Ref_Point_Desc=TOP OF OUTER CA Ref_Point_side=N Contractor=UNKNOWN
Total Number of perforation Intervals=1
NPERF#=1 Perf_top= 141.23 Bot= 135.13 MCas_size= 0.00 Perf_cuts= 0.00
Total Number of Screen Intervals=1
Screen#=1 Screen_diam= 4.00 in Top= 75.13 Bottom= 81.44 m Slot_size= 0.01 in Screen_material=Stainless Steel
Total Number of Seals=6
Seal#=1 Depth_top=-0.09 Bottom= 1.04 m Material=Concrete
Seal#=2 Depth_top= 1.04 Bottom= 6.58 m Material=Cement Grout
Seal#=3 Depth_top= 6.58 Bottom= 72.82 m Material=Granular Bentonite
Seal#=4 Depth_top= 72.82 Bottom= 73.85 m Material=Bentonite Pellets
More Information is at <a href="http://www.envirodataaccess.com/wellfiles/299-W6-7.htm">http://www.envirodataaccess.com/wellfiles/299-W6-7.htm</a>

LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound:  
EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag

**VOLATILE ORGANIC COMPOUNDS****SEMI-VOLATILE ORGANIC COMPOUNDS****METALS & PHYSICAL PARAMETERS**


LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:  
EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag

# DOE HANFORD SITE - GROUNDWATER QUALITY DATA PLOTS



wellseries-200-299 WELL#=299-W6-7

## METALS & PHYSICAL PARAMETERS



LABORATORY QUALIFIER FLAGS in HEIS are \*; >; B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound;  
EPA-IGR=EPA-Implementation Guidance for Radionuclides; WAC=Washington Administrative Code;

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag

**PEST/PCB, HERB, & DIOXINS****GENCHEM & ORGANICS & GENORGANICS**

LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value; L=Value between IDL and CRQL (estimated); T=Tentatively identified compound;  
EPA-IGR=EPA-Implementation Guidance for Radionuclides; WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag