



**RADIONUCLIDES**



**VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE**





**SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE**

**METALS & PHYSICAL PARAMETERS**



**PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE**

**GENCHEM & ORGANICS & GENORGANICS**



**WELLNAME=499-S1-7B WELLID=A8101**

Well Type=STANDARD Well purpose=GROUNDWATER  
 Owner=WPPSS Contact Compliance=NON-COMPLIANT  
 Well Construction Date=1/31/1995  
 X-coor= 587653.60 Y-coor= 133206.30 Datum=NAD83(91) Date Survey= 9/30/1994  
 Elevation= 168.003 Datum=NAVD88 Date Survey=07/19/94  
 Ref\_Point\_Desc=TOP OF CASING Ref\_Point\_side=N Contractor=USACE(JECA)  
 Total Number of perforation Intervals=1  
 NPERF#=1 Perf\_top= 70.10 Bot= 85.34 mCas\_size= 8.00in Perf\_cuts= 0.00

LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:  
 EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag