






RADIONUCLIDES



VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE


SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE

METALS & PHYSICAL PARAMETERS



PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE

GENCHEM & ORGANICS & GENORGANICS



WELLNAME=699-27-8 WELLID=A5109
 Well Type=STANDARD Well purpose=GROUNDWATER
 Owner=DOE Contact=BHI Well Adm Compliance=NON-COMPLIANT
 X_coord= 587305.00 Y_coord= 131498.50 Datum=NAD83(91) Date Survey= 5/20/1994
 Elevation= 142.002 Datum=NAVD88 Date Survey=05/20/94
 Ref_Point_Desc=TOP OF CASING Ref_Point_side=N Contractor=USACE(JECA)
 Well_Comment= #15 SCREEN 67-77 FT., PLUG AT 80 FT.
 Total Number of perforation Intervals=1
 NPERF#=1 Perf_top= 20.42 Bot= 44.20 mCas_size= 8.00in Perf_cuts= 0.00 in
 Total Number of Screen Intervals=1
 Screen#=1 Screen_diam= 6.00 in Top= 20.42 Bottom= 23.47 m Slot_size= 0.01 in
 Screen_material=Galvanized Steel
 Total Number of Seals=4
 Seal#=1 Depth_top= 24.38 Bottom= 25.91 m Material=Internal Backfill
 Seal#=2 Depth_top= 25.91 Bottom= 26.52 m Material=Cement Grout
 Seal#=3 Depth_top= 65.53 Bottom= 106.68 m Material=Internal Sand Pack
 More Information is at <http://www.envirodataaccess.com/wellfiles/699-27-8.htm>

LABORATORY QUALIFIER FLAGS IN HEIS are: S, B, C, D, E, J, L, P, Q, R, W, Y, and Z. Review Document Main Flags are: L=Estimated value; L= Value between DL and CRQL; D=Identified compound.

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit; THIN BARS=Value Below Detection Limit; HATCHED BARS=Value With Data Qualifier Flag