





































RADIONUCLIDES



## VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE

## SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE

## METALS &amp; PHYSICAL PARAMETERS



WELLNAME=699-60-57 WELLID=A5280

Well Type=STANDARD Well purpose=GROUNDWATER  
 Owner=DOE Contact=BHI Well Adm Compliance=NON-COMPLIANT  
 X\_coor=572623.50 Y\_coor=141870.30 Datum=NAD83(91) Date Survey=12/7/1992  
 Elevation= 143.007 Datum=NGVD29 Date Survey=12/7/92  
 Ref\_Point\_Desc=BRASS CAP Ref\_Point\_side=NONE Contractor=USACE(JECA)  
 Total Number of perforation Intervals=1  
 NPERF#=1 Perf\_top= 126.68 Bot= 100.16 MCas\_size= 0.00 Perf\_cuts= 0.00  
 Total Number of Screen Intervals=2  
 Screen#1 Screen\_diam= 6.00 in Top= 16.70 Bottom= 22.89 m Slot\_size= 0.01 in  
 Screen\_material=Stainless Steel  
 Screen#2 Screen\_diam= 6.00 in Top= 40.29 Bottom= 43.31 m Slot\_size= 0.01 in  
 Screen\_material=Stainless Steel  
 Total Number of Screens=2  
 Seal#1 Depth\_top=-0.15 Bottom= 0.00 m Material=Concrete  
 Seal#2 Depth\_top= 0.00 Bottom= 5.49 m Material=Cement Grout  
 More Information is at <http://www.envirodataaccess.com/wellfiles/699-60-57.htm>


LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:  
 EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag

# DOE HANFORD SITE - GROUNDWATER QUALITY DATA PLOTS

wellseries-600-699 WELL#=699-60-57


## METALS & PHYSICAL PARAMETERS



LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:  
EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:


EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag

## METALS &amp; PHYSICAL PARAMETERS



PEST/PCB, HERB, &amp; DIOXINS NO DATA AVAILABLE

## GENCHEM &amp; ORGANICS &amp; GENORGANICS



LABORATORY QUALIFIER FLAGS in HEIS are \*, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:  
EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag